

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Agridex[®]

NON-IONIC SURFACTANT

ACTIVE CONSTITUENTS: 715 g/L PARAFFIN BASE PETROLEUM OIL
139 g/L POLYOL FATTY ACID ESTERS AND POLYETHOXYLATED
POLYOL FATTY ACID ESTER EMULSIFIER

For addition to various pesticides as recommended on their labels

GENERAL INSTRUCTIONS

Mixing

Mix the required quantity of Folicur, Bayfidan or other pesticide with water in the spray tank, then add the required amount of Agridex and stir or agitate thoroughly.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Keep out of reach of children. Store in the closed, original container in a cool, well ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse container before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Will irritate the eyes. May irritate the skin. Avoid contact with eyes and skin. When opening the container and preparing spray, wear elbow-length PVC gloves and face-shield or goggles. If product gets in eyes, wash it out immediately with water. Wash hands after use. After each day's use wash gloves and face shield or goggles and contaminated clothing. When using with another chemical, consult the safety directions of the companion product.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre Phone Australia 13 11 26. If swallowed, do NOT induce vomiting. Give a glass of water.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from www.crop.bayer.com.au.

EXCLUSION OF LIABILITY

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, Bayer CropScience Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

Agridex[®], Bayfidan[®] and Folicur[®] are Trademarks of the Bayer Group.

APVMA Approval Number: 41165/54719

**FOR 24 HOUR SPECIALIST ADVICE
IN EMERGENCY ONLY
PHONE 1800 033 111**



DIRECTIONS FOR USE

Agridex is a blend of a surfactant and a superior type of agricultural spray oil which enhances the activity of Folicur® 430 SC Fungicide, Bayfidan® 250 EC Fungicide and some other pesticides.

Before using Agridex, read the other pesticide label.

For use with	Crop	Rate of Agridex
Folicur 430	Peanuts	1 L/ha
Bayfidan 250	Brassica vegetables	200 mL/ha
Other pesticides - see manufacturer's label		

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION