

Safety Data Sheet



Hombre® Ultra Cereal Seed Treatment

Version 1 / AUS
102000023096

1/11
Revision Date: 05.10.2016
Print Date: 05.10.2016

SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Trade name Hombre® Ultra Cereal Seed Treatment
Product code (UVP) 79631979

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Seed treatment, Insecticide, Fungicide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Cropscience Pty Ltd
ABN 87 000 226 022
Level 1, 8 Redfern Road
3123 Hawthorn East
Victoria
Australia

Telephone (03) 9248 6888

Telefax (03) 9248 6800

Responsible Department 1800 804 479 Technical Information Service

Website www.crop.bayer.com.au

1.4 Emergency telephone no.

Emergency telephone no. 1800 033 111 IXOM Operations Pty Ltd

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Australian GHS Regulation

Acute toxicity: Category 4
H302 Harmful if swallowed.

Acute aquatic toxicity: Category 1
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1
H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

Imidacloprid
Tebuconazole

Signal word: Warning

Hazard statements

H302 Harmful if swallowed.

Precautionary statements



Hombre® Ultra Cereal Seed Treatment

Version 1 / AUS
102000023096

2/11
Revision Date: 05.10.2016
Print Date: 05.10.2016

P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.
P330 Rinse mouth.
P501 Dispose of contents/container in accordance with local regulation.

2.3 Other hazards

No other hazards known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

Imidacloprid 360g/L, Tebuconazole 12.5 g/L

Chemical nature Flowable concentrate for seed treatment (FS)

Chemical Name	CAS-No.	Concentration [%]
Imidacloprid	138261-41-3	30.77
Tebuconazole	107534-96-3	1.07
1,2-Benzisothiazol-3(2H)-one	2634-33-5	> 0.005 - < 0.05
Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one	55965-84-9	> 0.0002 - < 0.0015
Other ingredients (non-hazardous) to 100%		

SECTION 4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.

4.1 Description of first aid measures

Inhalation When inhaled remove to fresh air and seek medical aid.
Skin contact Take off contaminated clothing and shoes immediately. Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If signs of poisoning occur, call a physician immediately.
Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician or poison control center immediately.
Ingestion Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms Apathy, Muscular weakness, Respiratory disorder, Hypothermia, Trembling

4.3 Indication of any immediate medical attention and special treatment needed

Risks This product contains a nicotinoid.



Hombre® Ultra Cereal Seed Treatment

Version 1 / AUS
102000023096

3/11
Revision Date: 05.10.2016
Print Date: 05.10.2016

Treatment There is no specific antidote. Treat symptomatically. Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate.

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide., Sand

5.2 Special hazards arising from the substance or mixture In the event of fire the following may be released:., Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Carbon dioxide (CO2), Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire, wear self-contained breathing apparatus.

Further information Evacuate personnel to safe areas. Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Contain the spread of the fire-fighting media. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Whenever possible, contain fire-fighting water by diking area with sand or earth.

Hazchem Code •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke. Use personal protective equipment. Keep unauthorized people away.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water. Contain contaminated water and fire fighting water. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Clean contaminated floors and objects thoroughly, observing environmental regulations. Decontaminate tools and equipment following cleanup. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.



Hombre® Ultra Cereal Seed Treatment

Version 1 / AUS
102000023096

4/11
Revision Date: 05.10.2016
Print Date: 05.10.2016

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

Hygiene measures After each day's use, wash gloves, face shield or goggles and contaminated clothing. Avoid contact with skin, eyes and clothing. Keep away from food, drink and animal feedingstuffs. Keep working clothes separately. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Wear elbow length PVC gloves when handling product or treated seed.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Keep out of the reach of children. Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0.7 mg/m ³ (TWA)		OES BCS*
Tebuconazole	107534-96-3	0.2 mg/m ³ (SK-ABS)		OES BCS*

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

8.2 Exposure controls

Respiratory protection Wear respirator with a particle filter mask (protection factor 10) conforming to European Norm EN149FFP2 or EN140P2 or equivalent.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.



Hombre® Ultra Cereal Seed Treatment

Version 1 / AUS
102000023096

5/11
Revision Date: 05.10.2016
Print Date: 05.10.2016

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).
Skin and body protection	Wear standard coveralls and Category 3 Type 5 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.
General protective measures	In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the above mentioned recommendations would apply.

Engineering Controls

Advice on safe handling Use only in area provided with appropriate exhaust ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	suspension
Colour	red
pH	6.0 - 8.0 at 100 % (23 °C)
Flash point	>100 °C
Density	ca. 1.17 g/cm ³ at 20 °C
Water solubility	miscible
Partition coefficient: n-octanol/water	Imidacloprid: log Pow: 0.57 Tebuconazole: log Pow: 3.7

9.2 Other information Further safety related physical-chemical data are not known.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions known.



Hombre® Ultra Cereal Seed Treatment

Version 1 / AUS
102000023096

6/11
Revision Date: 05.10.2016
Print Date: 05.10.2016

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Oxidizing agents

10.6 Hazardous decomposition products Hydrogen chloride (HCl)
Hydrogen cyanide (hydrocyanic acid)
Oxides of carbon
Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) 450 mg/kg
The value mentioned relates to the active ingredient imidacloprid.
LD50 (Rat) 1,700 - 4,000 mg/kg
The value mentioned relates to the active ingredient tebuconazole.

Acute inhalation toxicity LC50 > 5.323 mg/l
Exposure time: 4 h
Determined in the form of dust.
The value mentioned relates to the active ingredient imidacloprid.
LC50 > 5.1 mg/l
Exposure time: 4 h
Determined in the form of dust.
The value mentioned relates to the active ingredient tebuconazole.

Acute dermal toxicity LD50 (Rat) > 5,000 mg/kg
The value mentioned relates to the active ingredient imidacloprid.
LD50 (Rat) > 5,000 mg/kg
The value mentioned relates to the active ingredient tebuconazole.

Skin irritation No skin irritation
The value mentioned relates to the active ingredient imidacloprid.
No skin irritation
The value mentioned relates to the active ingredient tebuconazole.

Eye irritation No eye irritation
The value mentioned relates to the active ingredient imidacloprid.
No eye irritation
The value mentioned relates to the active ingredient tebuconazole.

Sensitisation Non-sensitizing.
The value mentioned relates to the active ingredient imidacloprid.
Non-sensitizing.
The value mentioned relates to the active ingredient tebuconazole.

Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.
Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.
Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following



Hombre® Ultra Cereal Seed Treatment

Version 1 / AUS
102000023096

7/11
Revision Date: 05.10.2016
Print Date: 05.10.2016

organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.

Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity. Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity.

Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity. Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

Assessment STOT Specific target organ toxicity – repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies. Tebuconazole did not cause specific target organ toxicity in experimental animal studies.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Harmful if inhaled.
May cause skin irritation.
May cause eye irritation.
Harmful if swallowed.

Early onset symptoms related to exposure

Refer to Section 4

Delayed health effects from exposure

Refer to Section 11

Exposure levels and health effects

Refer to Section 4

Interactive effects

Not known

When specific chemical data is not available

Not applicable

Mixture of chemicals

Refer to Section 2.1

Further information

No further toxicological information is available.



Hombre® Ultra Cereal Seed Treatment

Version 1 / AUS
102000023096

8/11
Revision Date: 05.10.2016
Print Date: 05.10.2016

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

LC50 (Leuciscus idus (Golden orfe)) 237 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient imidacloprid.

LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient imidacloprid.

LC50 (Leuciscus idus (Golden orfe)) 5.7 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient tebuconazole.

LC50 (Oncorhynchus mykiss (rainbow trout)) 4.4 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient tebuconazole.

Toxicity to aquatic invertebrates

LC50 (Daphnia (water flea)) 85 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient imidacloprid.

LC50 (Daphnia magna (Water flea)) 4.2 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient tebuconazole.

Toxicity to aquatic plants

EC50 (Raphidocelis subcapitata (freshwater green alga)) > 100 mg/l
Exposure time: 72 h
The value mentioned relates to the active ingredient imidacloprid.

EC50 (Raphidocelis subcapitata (freshwater green alga)) 3.8 mg/l
Exposure time: 72 h
The value mentioned relates to the active ingredient tebuconazole.

Toxicity to bacteria

EC50 (activated sludge) > 10,000 mg/l
The value mentioned relates to the active ingredient imidacloprid.

Toxicity to other organisms

LD50 (Coturnix japonica (Japanese quail)) 31 mg/kg
The value mentioned relates to the active ingredient imidacloprid.

LD50 (Colinus virginianus (Bobwhite quail)) 152 mg/kg
The value mentioned relates to the active ingredient imidacloprid.

LD50 (Colinus virginianus (Bobwhite quail)) 1,988 mg/kg
The value mentioned relates to the active ingredient tebuconazole.

LD50 (Coturnix japonica (Japanese quail)) 2,912 mg/kg
The value mentioned relates to the active ingredient tebuconazole.

12.2 Persistence and degradability

Biodegradability

Imidacloprid:
Not rapidly biodegradable
Tebuconazole:
Not rapidly biodegradable



Hombre® Ultra Cereal Seed Treatment

Version 1 / AUS
102000023096

9/11
Revision Date: 05.10.2016
Print Date: 05.10.2016

Koc Imidacloprid: Koc: 225
Tebuconazole: Koc: 769

12.3 Bioaccumulative potential

Bioaccumulation Imidacloprid:
Does not bioaccumulate.
Tebuconazole: Bioconcentration factor (BCF) 35 - 59
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Imidacloprid: Moderately mobile in soils
Tebuconazole: Slightly mobile in soils

12.5 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13. DISPOSAL CONSIDERATIONS

Refillable containers:

If tamper evident seals are broken prior to initial use then the integrity of the contents cannot be assured. Empty container by pumping through dry-break connection system. Do not attempt to breach the valve system or the filling point, or contaminate the container with water or other products. Ensure that the coupler, pump, meter and hoses are disconnected, triple rinsed and drained after each use. When empty, or contents no longer required, return the container to the point of purchase. This container remains the property of Bayer CropScience Pty Ltd.

Metal drums and plastic containers:

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

Do not reuse container for any other purpose.

SECTION 14. TRANSPORT INFORMATION

ADG

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IMIDACLOPRID SOLUTION)
Hazchem Code	•3Z

According to AU01, Environmentally Hazardous Substances in packagings, IBC or any other receptacle not exceeding 500 kg or 500 L are not subject to the ADG Code.

IMDG

UN number	3082
-----------	-------------



Hombre® Ultra Cereal Seed Treatment

Version 1 / AUS
102000023096

10/11
Revision Date: 05.10.2016
Print Date: 05.10.2016

Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Marine pollutant	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IMIDACLOPRID SOLUTION)

IATA

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Environm. Hazardous Mark	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IMIDACLOPRID SOLUTION)

SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994
Australian Pesticides and Veterinary Medicines Authority approval number: 65040

SUSMP classification (Poison Schedule)

Schedule 6 (Standard for the Uniform Scheduling of Medicines and Poisons)

SECTION 16. OTHER INFORMATION

Trademark information Hombre® is a registered trademark of the Bayer Group.

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number



Hombre® Ultra Cereal Seed Treatment

Version 1 / AUS
102000023096

11/11
Revision Date: 05.10.2016
Print Date: 05.10.2016

CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitizer
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

END OF SDS