

# Safety Data Sheet



## Sencor® 480 SC Selective Herbicide

Version 1 / AUS  
102000006032

1/10  
Revision Date: 26.10.2016  
Print Date: 26.10.2016

### SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

#### 1.1 Product identifier

**Trade name** Sencor® 480 SC Selective Herbicide  
**Product code (UVP)** 04901916

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Herbicide

#### 1.3 Details of the supplier of the safety data sheet

**Supplier** Bayer Cropscience Pty Ltd  
ABN 87 000 226 022  
Level 1, 8 Redfern Road  
3123 Hawthorn East  
Victoria  
Australia

**Telephone** (03) 9248 6888  
**Telefax** (03) 9248 6800  
**Responsible Department** 1800 804 479 Technical Information Service  
**Website** [www.crop.bayer.com.au](http://www.crop.bayer.com.au)

#### 1.4 Emergency telephone no.

**Emergency telephone no.** 1800 033 111 IXOM Operations Pty Ltd

### SECTION 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification in accordance with Australian GHS Regulation

Acute toxicity: Category 4

H302 Harmful if swallowed.

Eye Damage/Irritation: Category 2A

H319 Causes serious eye irritation.

Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Hazard label for supply/use required.

##### Hazardous components which must be listed on the label:

Metribuzin

**Signal word:** Warning

##### Hazard statements

H302 Harmful if swallowed.



## Sencor® 480 SC Selective Herbicide

Version 1 / AUS  
102000006032

2/10  
Revision Date: 26.10.2016  
Print Date: 26.10.2016

H319 Causes serious eye irritation.

### Precautionary statements

P264 Wash hands thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P280 Wear eye protection.  
 P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.  
 P330 Rinse mouth.  
 P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 + P338  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.  
 P501 Dispose of contents/container in accordance with local regulation.

### 2.3 Other hazards

No other hazards known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Chemical nature

Metribuzin 480 g/l  
Chemical nature

Suspension concentrate (=flowable concentrate)(SC)

Chemical Name	CAS-No.	Concentration [%]
Metribuzin	21087-64-9	41.40
Glycerine	56-81-5	> 10.00 - < 20.00
1,2-Benzisothiazol-3(2H)-one	2634-33-5	> 0.005 - < 0.05
Other ingredients (non-hazardous) to 100%		

## SECTION 4. FIRST AID MEASURES

**If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.**

### 4.1 Description of first aid measures

**General advice** Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.

**Inhalation** Move the victim to fresh air and keep at rest. Oxygen or artificial respiration if needed. Call a physician or poison control center immediately.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.



## Sencor® 480 SC Selective Herbicide

Version 1 / AUS  
102000006032

3/10  
Revision Date: 26.10.2016  
Print Date: 26.10.2016

**Ingestion** Call a physician or poison control center immediately. Rinse mouth. Do NOT induce vomiting. Keep patient warm and at rest. Never give anything by mouth to an unconscious person. Obtain medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No symptoms known or expected.

### 4.3 Indication of any immediate medical attention and special treatment needed

**Treatment** Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

## SECTION 5. FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

**Suitable** Water, Foam, Carbon dioxide (CO<sub>2</sub>), Sand

**5.2 Special hazards arising from the substance or mixture** In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Sulphur oxides, Nitrogen oxides (NO<sub>x</sub>)

### 5.3 Advice for firefighters

**Special protective equipment for firefighters** Wear self-contained breathing apparatus and protective suit.

**Further information** Evacuate personnel to safe areas. Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Do not allow run-off from fire fighting to enter drains or water courses. Whenever possible, contain fire-fighting water by diking area with sand or earth.

**Hazchem Code** •3Z

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

**Precautions** Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke. Use personal protective equipment. Keep unauthorized people away.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.



**Sencor® 480 SC Selective Herbicide**

Version 1 / AUS  
102000006032

4/10  
Revision Date: 26.10.2016  
Print Date: 26.10.2016

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

**SECTION 7. HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

**Advice on protection against fire and explosion** No special precautions required.

**Hygiene measures** Avoid contact with skin, eyes and clothing. After each day's use, wash gloves, face shield or goggles and contaminated clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Garments that cannot be cleaned must be destroyed (burnt).

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Metribuzin	21087-64-9	5 mg/m3 (TWA)	12 2011	AU NOEL
Metribuzin	21087-64-9	0.56 mg/m3 (SK-SEN)		OES BCS*
Glycerine (Inhalable mist.)	56-81-5	10 mg/m3 (TWA)	12 2011	AU NOEL

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

**8.2 Exposure controls**

**Respiratory protection** Respiratory protection is not required under anticipated circumstances of exposure.  
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection** Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and



## Sencor® 480 SC Selective Herbicide

Version 1 / AUS  
102000006032

5/10  
Revision Date: 26.10.2016  
Print Date: 26.10.2016

	always before eating, drinking, smoking or using the toilet.
<b>Eye protection</b>	Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).
<b>Skin and body protection</b>	Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.
<b>General protective measures</b>	In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the above mentioned recommendations would apply.
<b>Engineering Controls</b>	
<b>Advice on safe handling</b>	Use only in area provided with appropriate exhaust ventilation.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

<b>Form</b>	suspension
<b>Colour</b>	white
<b>Odour</b>	weak, characteristic
<b>pH</b>	5.0 - 8.0 at 100 % (23 °C)
<b>Flash point</b>	Not relevant; aqueous solution
<b>Density</b>	ca. 1.16 g/cm <sup>3</sup> at 20 °C
<b>Water solubility</b>	miscible
<b>Partition coefficient: n-octanol/water</b>	Metribuzin: log Pow: 1.6
<b>Viscosity, dynamic</b>	600 - 1,600 mPaxs at 20 °C Velocity gradient 7.5 /s
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

### SECTION 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

**Thermal decomposition** Stable under normal conditions.

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.



## Sencor® 480 SC Selective Herbicide

Version 1 / AUS  
10200006032

6/10  
Revision Date: 26.10.2016  
Print Date: 26.10.2016

- 10.4 Conditions to avoid** Exposure to moisture.  
Elevated temperatures
- 10.5 Incompatible materials** Strong bases, Ketones, Aldehydes, Oxidizing agents  
Store only in the original container.
- 10.6 Hazardous decomposition products** Thermal decomposition can lead to release of:  
Hydrogen cyanide (hydrocyanic acid)  
Nitrogen oxides (NO<sub>x</sub>)  
Carbon oxides  
Sulphur oxides

### SECTION 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

- Acute oral toxicity** LD50 (Rat) 1,078 mg/kg  
Test conducted with a similar formulation.
- Acute inhalation toxicity** LC50 (Rat) 3.055 mg/l  
Exposure time: 4 h  
(analytical)  
Determined in the form of liquid aerosol.  
Test conducted with a similar formulation.
- Acute dermal toxicity** LD50 (Rat) > 2,000 mg/kg  
Test conducted with a similar formulation.
- Skin irritation** Slight irritant effect - does not require labelling (Rabbit)  
Test conducted with a similar formulation.
- Eye irritation** Irritating to eyes (Rabbit)  
Test conducted with a similar formulation.
- Sensitisation** Non-sensitizing (Guinea pig)  
OECD Test Guideline 406, Buehler test  
Test conducted with a similar formulation.

#### Assessment mutagenicity

Metribuzin was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Metribuzin was not carcinogenic in lifetime feeding studies in rats and mice.

#### Assessment toxicity to reproduction

Metribuzin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Metribuzin is related to parental toxicity.

#### Assessment developmental toxicity

Metribuzin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Metribuzin are related to maternal toxicity.

#### Assessment STOT Specific target organ toxicity – repeated exposure

Metribuzin caused specific target organ toxicity in experimental animal studies in the following organ(s):



## Sencor® 480 SC Selective Herbicide

Version 1 / AUS  
102000006032

7/10  
Revision Date: 26.10.2016  
Print Date: 26.10.2016

Liver, Kidney.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Information on likely routes of exposure

Harmful if inhaled.  
May cause skin irritation.  
Causes eye irritation.  
Harmful if swallowed.

### Early onset symptoms related to exposure

Refer to Section 4

### Delayed health effects from exposure

Refer to Section 11

### Exposure levels and health effects

Refer to Section 4

### Interactive effects

Not known

### When specific chemical data is not available

Not applicable

### Mixture of chemicals

Refer to Section 2.1

### Further information

No further toxicological information is available.

## SECTION 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

#### Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 74.6 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient metribuzin.

LC50 (Leuciscus idus (Golden orfe)) 141.6 mg/l  
Exposure time: 96 h  
The value mentioned relates to the active ingredient metribuzin.

#### Toxicity to aquatic invertebrates

LC50 (Daphnia magna (Water flea)) 49.6 mg/l  
Exposure time: 48 h  
The value mentioned relates to the active ingredient metribuzin.

#### Toxicity to aquatic plants

IC50 (Desmodesmus subspicatus (green algae)) 0.021 mg/l  
Growth rate; Exposure time: 72 h  
The value mentioned relates to the active ingredient metribuzin.

#### Toxicity to bacteria

EC50 (activated sludge) 761 mg/l  
The value mentioned relates to the active ingredient metribuzin.



## Sencor® 480 SC Selective Herbicide

Version 1 / AUS  
102000006032

8/10  
Revision Date: 26.10.2016  
Print Date: 26.10.2016

**Toxicity to other organisms** LD50 (Colinus virginianus (Bobwhite quail)) 164 mg/kg  
The value mentioned relates to the active ingredient metribuzin.  
  
LD50 (Anas platyrhynchos (Mallard duck)) 460 - 680 mg/kg  
The value mentioned relates to the active ingredient metribuzin.

### 12.2 Persistence and degradability

**Biodegradability** Metribuzin:  
Not rapidly biodegradable

**Koc** Metribuzin: Koc: 24 – 106

### 12.3 Bioaccumulative potential

**Bioaccumulation** Metribuzin:  
Does not bioaccumulate.

### 12.4 Mobility in soil

**Mobility in soil** Metribuzin: Mobile in soils

### 12.5 Other adverse effects

**Additional ecological information** No other effects to be mentioned.

## SECTION 13. DISPOSAL CONSIDERATIONS

Metal drums and plastic containers:

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

Do not reuse container for any other purpose.

## SECTION 14. TRANSPORT INFORMATION

### ADG

UN number	<b>3082</b>
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (METRIBUZIN SOLUTION)
Hazchem Code	•3Z

According to AU01, Environmentally Hazardous Substances in packagings, IBC or any other receptacle not exceeding 500 kg or 500 L are not subject to the ADG Code.



# Safety Data Sheet



## Sencor® 480 SC Selective Herbicide

Version 1 / AUS  
102000006032

9/10  
Revision Date: 26.10.2016  
Print Date: 26.10.2016

### IMDG

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Marine pollutant	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (METRIBUZIN SOLUTION)

### IATA

UN number	3082
Transport hazard class(es)	9
Subsidiary Risk	None
Packaging group	III
Environm. Hazardous Mark	YES
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (METRIBUZIN SOLUTION )

## SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994  
Australian Pesticides and Veterinary Medicines Authority approval number: 31791

### SUSMP classification (Poison Schedule)

Schedule 6 (Standard for the Uniform Scheduling of Medicines and Poisons)

## SECTION 16. OTHER INFORMATION

**Trademark information** Sencor® is a Registered Trademark of the Bayer Group.

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric



## Sencor® 480 SC Selective Herbicide

Version 1 / AUS  
10200006032

10/10  
Revision Date: 26.10.2016  
Print Date: 26.10.2016

	Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SK-SEN	Skin sensitiser
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

END OF SDS